

# ACTA METALLURGICA ET MATERIALIA

## CONTENTS AND AUTHOR INDEX VOLUME 43 1995

### *Board of Governors*

Dr Kenneth Kinsman	Professor Peter Neumann
Dr William W. Scott Jr	Professor J. Th. M. De Hosson
Professor Karl A. Gschneidner Jr	Professor David R. F. West
Dr Paul S. Follansbee	Professor Gareth Thomas, <i>ex-officio</i>
Professor Veikko Lindroos	

Dr Robert L. Fullman, *Secretary-Treasurer*

Professor Tadeusz B. Massalski, *Chairman*

### **Editor-in-Chief**

Professor Gareth Thomas, 561 Evans Hall, University of California, Berkeley, CA 94720-1760, U.S.A.

### *Principal Editors*

Professor Hirotaro Mori, Research Center for Ultra-High Voltage Electron Microscopy, Osaka University, Yamadaoka, Suita, Osaka 565, Japan

Professor Timothy Sands, Department of Materials Science and Mineral Engineering, 559 Evans Hall, University of California, Berkeley, CA 94720-1760, U.S.A.

Professor Subra Suresh, Department of Materials Science and Engineering, Massachusetts Institute of Technology, 77 Massachusetts Avenue, Room 13-5056, Cambridge, MA 02139-4307, U.S.A.

Professor Richard Wagner, GKSS-Forschungszentrum Geesthacht GmbH, Institut für Werstofforschung, Max-Planck-Strasse, 21502 Geesthacht, Germany

### *Associate Editors*

Professor I. J. Polmear ( <i>Australia</i> )	Professor David G. Brandon ( <i>Israel</i> )
Professor L. Delaey ( <i>Belgium</i> )	Professor N. J. Kim ( <i>Korea</i> )
Professor W. A. Mannheimer ( <i>Brazil</i> )	Professor M. J. Yacaman ( <i>Mexico</i> )
Professor W. Tyson ( <i>Canada</i> )	Professor J. Th. M. De Hosson ( <i>The Netherlands</i> )
Professor V. Lindroos ( <i>Finland</i> )	Professor J. Dutkiewicz ( <i>Poland</i> )
Professor L. P. Kubin ( <i>France</i> )	Professor F. R. N. Nabarro ( <i>South Africa</i> )
Professor Reiner Kirchheim ( <i>Germany</i> )	Professor M. Elices ( <i>Spain</i> )
Professor S. Ranganathan ( <i>India</i> )	

*Advertising and Subscription Offices:* Enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. and from the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.

*Publishing Office:* Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.

# ACTA METALLURGICA ET MATERIALIA

## CONTENTS OF VOLUME 43

### NUMBER 1

J. Svoboda and H. Riedel	1	New solutions describing the formation of interparticle necks in solid-state sintering
J. R. Brockenbrough and F. W. Zok	11	On the role of particle cracking in flow and fracture of metal matrix composites
W. B. Lee, Fu-Rong Chen, S. K. Chen, G. B. Olson and C. M. Wan	21	Transmission electron microscopy studies of the crystallography of b.c.c./18R martensite in Fe-Mn-Al-C
Y.-C. Lu, S. L. Sass, Q. Bai, D. L. Kohlstedt and W. W. Gerberich	31	The influence of interfacial reactions on the fracture toughness of Ti-Al <sub>2</sub> O <sub>3</sub> interfaces
Zhongyun Fan	43	A new approach to the electrical resistivity of two-phase composites
K. Królas and M. Sternik	51	Rhodium segregation in dilute silver-rhodium alloys
Sadhna Shrivastava, Amitabh Jain and Chatar Singh	59	Sliding behaviour of boron ion-implanted 304 stainless steel
H. D. Chandler	65	Cyclic hardening in copper described in terms of combined monotonic and cyclic stress-strain curves
M. A. Morris and J. C. Joye	69	Effect of the particle distribution on the mechanisms controlling deformation of a copper alloy at intermediate temperatures
Y. He, G. J. Shiflet and S. J. Poon	83	Ball milling-induced nanocrystal formation in aluminum-based metallic glasses
B. Trindade, M. T. Vieira and E. Bauer Grosse	93	<i>In situ</i> high temperature crystallization study of sputter deposited amorphous W-Fe-C films
D. Duly, J. P. Simon and Y. Brechet	101	On the competition between continuous and discontinuous precipitations in binary Mg-Al alloys
M. Sundararaman, S. Banerjee and H. Wollenberger	107	Order-disorder transformations in Ni <sub>4</sub> Mo under self ion irradiation
O. Engler, J. Hirsch and K. Lücke	121	Texture development in Al-1.8 wt% Cu depending on the precipitation state—II. Recrystallization textures
S. C. Gill and W. Kurz	139	Rapidly solidified Al-Cu alloys—II. Calculation of the microstructure selection map

M. Es-Souni, A. Bartels and R. Wagner	153	Creep behaviour of a fully transformed near $\gamma$ -TiAl alloy Ti-48Al-2Cr
H. Chai	163	Deformation and fracture of particulate epoxy in adhesive bonds
D. Uffelmann, W. Bender, L. Ratke and B. Feuerbacher	173	Ostwald ripening in Lorentz-force stabilized Cu-Pb dispersions at low volume fractions. I—Experimental observations
J. Llorca	181	An analysis of the influence of reinforcement fracture on the strength of discontinuously-reinforced metal-matrix composites
E. Zaretsky	193	Dislocation multiplication in f.c.c. metals at presence of high shear stress
J. Koike, M. Mabuchi and K. Higashi	199	<i>In situ</i> observation of partial melting in superplastic aluminum alloy composites at high temperatures
N. Khasgiwale and H. M. Chan	207	Indentation induced crack nucleation and propagation in single crystal MgO
Gongqi Shi, Peidao Ding, Jianglong Liu, Huaijun Yin and Jian Wang	217	Microstructure and properties of laser surface hardened M2 high speed steel
W. Bochniak	225	Mode of deformation and the Cottrell-Stokes law in f.c.c. single crystals
W. Tong, G. Ravichandran, T. Christman and T. Vreeland Jr	235	Processing SiC-particulate reinforced titanium-based metal matrix composites by shock wave consolidation
P. Ševc, J. Janovec, M. Koutnik and A. Výrostková	251	Equilibrium grain boundary segregation of phosphorus in 2.6Cr-0.7Mo-0.3V steels
J. B. Davis, J. Yang and A. G. Evans	259	Effects of composite processing on the strength of sapphire fiber-reinforced composites
H. Mizubayashi, H. Egashira and S. Okuda	269	Anelastic study of screw-dislocation motion in high-purity tantalum
R. J. Kerans, J. P. Hirth and W. A. T. Clark	277	Dislocation structures and the character of superdislocations in Ni <sub>3</sub> Al alloys
M. C. Tolle and M. E. Kassner	287	Mechanisms of ductile fracture in pure silver under high-triaxial stress states
F. G. Yost, J. R. Michael and E. T. Eisenmann	299	Extensive wetting due to roughness
Susumu Onaka, Fumihiko Tajima, Satoshi Hashimoto and Sei Miura	307	Retardation of intergranular fracture at intermediate temperatures by a boundary node in a Cu-9 at.%Al alloy tricrystal

G. Saada and D. Sornette	313	Long-range stress field fluctuations induced by random dislocation arrays: a unified spectral approach
C. D. Terwilliger and Yet-Ming Chiang	319	Size-dependent solute segregation and total solubility in ultrafine polycrystals: Ca in $\text{TiO}_2$
S. Bader, W. Gust and H. Hieber	329	Rapid formation of intermetallic compounds by interdiffusion in the Cu-Sn and Ni-Sn systems
P. Fortier, K. T. Aust and W. A. Miller	339	Effects of symmetry, texture and topology on triple junction character distribution in polycrystalline materials
H. Kato and S. Miura	351	Thermodynamical analysis of the stress-induced martensitic transformation in Cu-15.0 at. % Sn alloy single crystals
H. Kato, N. Hirata and S. Miura	361	Effects of aging on pseudoelastic behaviour in Cu-15.0 at. % Sn alloy single crystals
Hui Yin, Ming Gao and R. P. Wei	371	Phase transformation and sustained load crack growth in $\text{ZrO}_2 + 3 \text{ mol\% } \text{Y}_2\text{O}_3$ : experiments and kinetic modeling
E. Üstündağ, R. Subramanian, R. Dieckmann and S. L. Sass	383	<i>In situ</i> formation of metal-ceramic microstructures in the Ni-Al-O system by partial reduction reactions
H. Xiao and I. Baker	391	The relationship between point defects and mechanical properties in Fe-Al at room temperature
Cheng-Hua Kuo and Prabhat K. Gupta	397	Rigidity and conductivity percolation thresholds in particulate composites
	I	Erratum

## NUMBER 2

v *Acta Metallurgica* J. Herbert Hollomon Award

K. A. Q. O'Reilly and B. Cantor	405	Solidification behaviour of Al particles embedded in a Zr aluminide matrix
A. Lakki, R. Schaller, G. Bernard-Granger and R. Duclos	419	High temperature anelastic behaviour of silicon nitride studied by mechanical spectroscopy
M. Vill, D. P. Adams, S. M. Yalisove and J. C. Bilello	427	Mechanical properties of tough multiscalar microlaminates
K. S. Chan and Y-W. Kim	439	Effects of lamellae spacing and colony size on the fracture resistance of a fully-lamellar TiAl alloy
L. Shi and D. O. Northwood	453	The mechanical behavior of an AISI type 310 stainless steel
R. J. Romero and L. E. Murr	461	Torque-related lamellar carbide growth associated with annealing twins in 304 stainless steel

T. J. Konno and R. Sinclair	471	Crystallization of amorphous carbon in carbon-cobalt layered thin films
A. Salinas-Rodriguez	485	Grain size effects on the texture evolution of $\alpha$ -Zr
J. Svoboda and H. Riedel	499	Quasi-equilibrium sintering for coupled grain-boundary and surface diffusion
J. Li and R. P. Wahi	507	Investigation of $\gamma/\gamma'$ lattice mismatch in the polycrystalline nickel-base superalloy IN738LC: influence of heat treatment and creep deformation
Ning Wang, Zhirui Wang, K. T. Aust and U. Erb	519	Effect of grain size on mechanical properties of nanocrystalline materials
M. J. Cai, W. B. Lee and F. Y. Sun	529	The continuum spectrum method for the calculation of the statistical distribution function of dislocation cell sizes
A. Dlouhy, G. Eggeler and N. Merk	535	A micromechanical model for creep in short fibre reinforced aluminium alloys
N. Karpe, J. P. Krog, J. Böttiger, N. G. Chechenin, R. E. Somekh and A. L. Greer	551	The thermodynamic factor in interdiffusion: a strong effect in amorphous Ni-Zr
V. G. Gavriljuk, H. Hänninen, A. V. Tarasenko, A. S. Tereshchenko and K. Ullakko	559	Phase transformations and relaxation phenomena caused by hydrogen in stable austenitic stainless steels
A. Zarei-Hanzaki, J. H. Root, P. D. Hodgson and S. Yue	569	Austenite flow stress behaviour during continuous cooling through the metastable austenite region
D. Liang, Y. Bayraktar and H. Jones	579	Formation and segregation of primary silicon in Bridgman solidified Al-18.3 wt% Si alloy
P. A. Sundaram, A. E. Valkonen and J. P. Hirth	587	Effect of specimen geometry on the multiple $n$ behaviour of an AISI 1090 spheroidized steel
J. Martínez-Fernández, M. Jiménez-Melendo and A. Domínguez-Rodríguez	593	Microstructural evolution and stability of tetragonal precipitates in $Y_2O_3$ partially-stabilized $ZrO_2$ single crystals
N. Ogbonna and N. A. Fleck	603	Compaction of an array of spherical particles
P. Ratchev, B. Verlinden and P. Van Houtte	621	Effect of preheat temperature on the orientation relationship of (Mn, Fe)Al <sub>6</sub> precipitates in an AA 5182 aluminium-magnesium alloy
Y. C. Lian, R. T. Marler and J. C. M. Li	631	Damping properties of consolidated iron and graphite powders

A. S. Lazarenko, I. M. Mikhailovskij, V. B. Rabukhin and O. A. Velikodnaya	639	Nanotopography and grain-boundary migration in the vicinity of triple junctions
R. W. Margevicius and J. D. Cotton	645	Study of the brittle-to-ductile transition in NiAl by texture analysis
S. A. Maloy, T. E. Mitchell and A. H. Heuer	657	High temperature plastic anisotropy in MoSi <sub>2</sub> single crystals
R. Ninomiya, T. Ojio and K. Kubota	669	Improved heat resistance of Mg-Al alloys by the Ca addition
A. Vinogradov, S. Hashimoto and S. Miura	675	Crack initiation and propagation in <110> oriented copper single crystals under cyclic deformation
H. Yukawa, Y. Murata, M. Morinaga, Y. Takahashi and H. Yoshida	681	Heterogeneous distributions of magnesium atoms near the precipitate in Al-Mg based alloys
J. A. Warren and W. J. Boettinger	689	Prediction of dendritic growth and microsegregation patterns in a binary alloy using the phase-field method
H. Numakura, G. Yotsui and M. Koiwa	705	Calculation of the strength of Snoek relaxation in dilute ternary b.c.c. alloys
S. A. Kukushkin	715	Theory of the Ostwald ripening of new-phase nuclei in single-component melts
H. Yamagata	723	Dynamic recrystallization and dynamic recovery in pure aluminum at 583 K
A. C. F. Cocks and N. D. Aparicio	731	Diffusional creep and sintering—the application of bounding theorems
N. Tsuji, H. Takebayashi, T. Takiguchi, K. Tsuzaki and T. Maki	743	Effect of initial orientation on the cold-rolling behavior of solidified columnar crystals in an Fe-36%Ni austenitic alloy
N. Tsuji, H. Takebayashi, T. Takiguchi, K. Tsuzaki and T. Maki	755	Recrystallization of solidified columnar crystals in an Fe-36%Ni austenitic alloy
Jun Yuan, Vijay Gupta and Moon Kim	769	Structure and chemistry of Nb/sapphire interfaces, with and without interlayers of Sb and Cr
Jun Yuan and Vijay Gupta	781	The effect of microstructure and chemistry on the tensile strength of Nb/sapphire interfaces with and without interlayers of Sb and Cr
W. Swiatnicki, S. Lartigue-Korinek and J. Y. Laval	795	Grain boundary structure and intergranular segregation in Al <sub>2</sub> O <sub>3</sub>



M. Kajihara and M. Kikuchi	807	Analysis of dissolution of $\alpha$ phase in $\gamma/\alpha/\gamma$ diffusion couples of the Fe-Cr-Ni system using analytical solutions for semi-infinite diffusion couples
H. Hough, J. Demas, T. O. Williams and H. N. G. Wadley	821	Luminescence sensing of stress in Ti/Al <sub>2</sub> O <sub>3</sub> fiber reinforced composites
W. D. Kaplan, P. R. Kenway and D. G. Brandon	835	Polymorphic basal twin boundaries and anisotropic growth in $\alpha$ -Al <sub>2</sub> O <sub>3</sub>
J. C. Romero and R. J. Arsenault	849	Anomalous penetration of Al into SiC
	I	Erratum

### NUMBER 3

A. G. Evans, F. W. Zok and R. M. McMeeking	859	Overview No. 118: Fatigue of ceramic matrix composites
R. S. Mishra, T. R. Bieler and A. K. Mukherjee	877	Overview No. 119: Superplasticity in powder metallurgy aluminum alloys and composites
D. A. Mendelsohn, T. S. Gross and Y. Zhang	893	Fracture surface interference in shear—I. A model based on experimental surface characterizations
T. S. Gross, Y. Zhang and D. W. Watt	901	Fracture surface interference in shear—II. Experimental measurements of crack tip displacement field under Mode II loading in 7075-T6 Al
S. Kalogeropoulou, L. Baud and N. Eustathopoulos	907	Relationship between wettability and reactivity in Fe/SiC system
P. S. Grant and B. Cantor	913	Modelling of droplet dynamic and thermal histories during spray forming—III. Analysis of spray solid fraction
Y. Goto and G. Thomas	923	Microstructure of silicon nitride ceramics sintered with rare-earth oxides
J. W. Cahn and R. Kobayashi	931	Exponentially rapid coarsening and buckling in coherently self-stressed thin plates
A. Borgenstam, M. Hillert and J. Ågren	945	Critical temperature for growth of martensite
Y. Brechet and Y. Estrin	955	On the influence of precipitation on the Portevin-Le Chatelier effect
V. M. Sglavo and D. J. Green	965	Influence of indentation crack configuration on strength and fatigue behaviour of soda-lime silicate glass
V. Yu. Novikov and I. S. Gavrikov	973	Influence of heterogeneous nucleation on microstructure and kinetics of primary recrystallization

- |  |      |   |
|--|------|---|
| Sang Chul Han,<br>Duk Yong Yoon and<br>Milivoj K. Brun                     | 977  | Migration of grain boundaries in alumina induced by chromia addition  |
| D. N. Dai, D. A. Hills,<br>P. D. Warren and D. Nowell                      | 985  | The propulsion of surface flaws by elastic indentation testing  |
| J. L. Pelegrina,<br>M. Rodriguez de Rivera,<br>V. Torra and F. C. Lovey    | 993  | Hysteresis in Cu-Zn-Al SMA: from high resolution studies to the time dependent modelling and simulation                             |
| Dean-Mo Liu and<br>Chen-Tsu Fu   | 1001 | Heat conduction of composites and its dependence on the microstructure of $\text{Al}_2\text{O}_3\text{-Cr}_3\text{C}_2$ composite   |
| M. Fährmann, P. Fratzl,<br>O. Paris, E. Fährmann and<br>William C. Johnson | 1007 | Influence of coherency stress on microstructural evolution in model Ni-Al-Mo alloys   |
| D. Raabe   | 1023 | Texture simulation for hot rolling of aluminium by use of a Taylor model considering grain interactions                             |
| N. Ranganathan,<br>F. Adiwijayanto, J. Petit<br>and J. P. Bâillon          | 1029 | Fatigue crack propagation mechanisms in an aluminium lithium alloy  |
| R. W. Armstrong, H. Shin<br>and A. W. Ruff                                 | 1037 | Elastic/plastic effects during very low-load hardness testing of copper   |
| D. M. Grant, S. M. Green<br>and J. V. Wood                                 | 1045 | The surface performance of shot peened and ion implanted NiTi shape memory alloy  |
| T. Wagner, R. Kirchheim<br>and M. Rühle                                    | 1053 | Chemical reactions at metal/ceramic interfaces during diffusion bonding   |
| John P. Hirth,<br>Bernard Pieraggi and<br>Robert A. Rapp                   | 1065 | The role of interface dislocations and ledges as sources/sinks for point defects in scaling reactions                               |
| K.-F. Yao, H. Inui, K. Kishida<br>and M. Yamaguchi                         | 1075 | Plastic deformation of V- and Zr-alloyed PST TiAl in tension and compression at room temperature                                    |
| M. Abdellaoui and E. Gaffet  | 1087 | The physics of mechanical alloying in a planetary ball mill: mathematical treatment   |
| J. Sommer, Chr. Herzig,<br>T. Muschik and W. Gust                          | 1099 | Temperature dependence and anisotropy of grain boundary self-diffusion along $\Sigma = 5 \langle 001 \rangle$ tilt boundaries in Ag |
| M. Matsumoto,<br>H. Mizubayashi<br>and S. Okuda                            | 1109 | Hydrogen internal friction peak and hydrogen induced structural relaxation in amorphous $\text{Cu}_{60}\text{Zr}_{40}$              |
| J. M. Duva, W. A. Curtin and<br>H. N. G. Wadley                            | 1119 | An ultimate tensile strength dependence on processing for consolidated metal matrix composites                                      |



- J. M. Salazar, R. Fournet and N. Banai 1127 Dislocation patterns from reaction-diffusion models
- A. Mocellin, Y. Brechet and R. Fougères 1135 Fracture of an Osprey™ AlSiFe alloy: a microstructure based model for fracture of microheterogeneous materials
- P. Kwon and C. K. H. Dharan 1141 Effective moduli of high volume fraction particulate composites
- A. A. Mammoli, A. L. Graham, I. E. Reimanis and D. L. Tullock 1149 The effect of flaws on the propagation of cracks at bi-materials interfaces
- Y. Sugimura, P. G. Lim, C. F. Shih and S. Suresh 1157 Fracture normal to a bimaterial interface: effects of plasticity on crack-tip shielding and amplification
- S. Sgobba, H. U. Künzi and B. Ilshner 1171 The influence of thermal and surface treatments on the anelastic creep of Al-Zn and Al-Cu alloys
- Yoshiaki Iijima and Chan-Gyu Lee 1183 Self-diffusion in b.c.c. and ordered phases of an equiatomic iron-cobalt alloy
- D. P. Mason, D. C. Van Aken and J. F. Mansfield 1189 On the microstructure and crystallography of directionally solidified MoSi<sub>2</sub>-Mo<sub>5</sub>Si<sub>3</sub> eutectics
- D. P. Mason and D. C. Van Aken 1201 On the creep of directionally solidified MoSi<sub>2</sub>-Mo<sub>5</sub>Si<sub>3</sub> eutectics
- S. Primdahl, A. Thölen and T. G. Langdon 1211 Microstructural examination of a superplastic yttria-stabilized zirconia: implications for the superplasticity mechanism
- M. Nishida, H. Ohgi, I. Itai, A. Chiba and K. Yamauchi 1219 Electron microscopy studies of twin morphologies in B19' martensite in the Ti-Ni shape memory alloy
- M. Nishida, K. Yamauchi, I. Itai, H. Ohgi and A. Chiba 1229 High resolution electron microscopy studies of twin boundary structures in B19' martensite in the Ti-Ni shape memory alloy
- K. Kajihara, Y. Yoshizawa and T. Sakuma 1235 The enhancement of superplastic flow in tetragonal zirconia polycrystals with SiO<sub>2</sub>-doping
- J. Martin-Gil, F. J. Martin-Gil, E. Morán, M. Miki-Yoshida, L. Martínez and M. José-Yacamán 1243 Synthesis of low density and high hardness carbon spheres containing nitrogen and oxygen
- S. Favier, G. R. Canova and B. Baudelet 1249 A micromechanical incremental modelling of damage in materials containing second phase particles
- D. R. Mumm and K. T. Faber 1259 Interfacial debonding and sliding in brittle-matrix composites measured using an improved fiber pullout technique

- |   |      |  |
|---|------|--|
| Q. Li, H. Nguyen Thi,<br>H. Jamgotchian and<br>B. Billia                    | 1271 | Preferred-pattern formation during the initial transient in cellular solidification                    |
| P. Peczak   | 1279 | A Monte Carlo study of influence of deformation temperature on dynamic recrystallization               |
| T. Lipe and M. A. Morris  | 1293 | Effect of thermally activated mechanisms on the martensitic transformation of modified Cu-Al-Ni alloys |
| V. Gröger, P. Fratzl,<br>W. Pahl, O. Paris,<br>G. Bischof and<br>G. Krexner | 1305 | Phase boundary structure of $\gamma'$ -particles in Cu-10 at.% Be                                      |

#### NUMBER 4

- |  |      |   |
|--|------|---|
| T. Yamauchi and Y. Nishida   | 1313 | Infiltration kinetics of fibrous preforms by aluminum with solidification   |
| G. Pezzotti, Y. Okamoto,<br>T. Nishida and M. Sakai                            | 1323 | Phenomenology of fracture and fracture mechanisms under slow-crack-growth/creep regimes in high-purity $\text{Si}_3\text{N}_4$ and its SiC-platelet composite |
| A. E. Giannakopoulos,<br>S. Suresh, M. Finot<br>and M. Olsson                  | 1335 | Elastoplastic analysis of thermal cycling: layered materials with compositional gradients   |
| V. Gupta and R. C. Picu  | 1355 | A model for the indentation-induced splitting ice flow experiments  |
| J. W. Graydon, S. J. Thorpe<br>and D. W. Kirk                                  | 1363 | Effect of composition on the formation and thermal stability of $\text{Ni}_{72}(\text{Mo}, \text{Co})_8\text{B}_{20}$ metallic glass                          |
| L.-M. Pan, I. Scheibli,<br>M. B. Henderson,<br>B. A. Shollock and<br>M. McLean | 1375 | Asymmetric creep deformation of a single crystal superalloy   |
| T. S. Rong, I. P. Jones and<br>R. E. Smallman                                  | 1385 | Dislocation mechanisms in creep of $\text{Ni}_3\text{Al}$ at intermediate temperature   |
| J. Pan and A. C. F. Cocks  | 1395 | A numerical technique for the analysis of coupled surface and grain-boundary diffusion  |
| Chun-Hway Hsueh  | 1407 | Analyses of slice compression tests for aligned ceramic matrix composites—II. Type II boundary condition  |
| J. N. Wang and T. G. Nieh  | 1415 | Effects of the Peierls stress on the transition from power law creep to Harper-Dorn creep   |
| Kenong Xia and<br>Terence G. Langdon   | 1421 | High temperature deformation of an alumina composite reinforced with silicon carbide whiskers   |

- |  |      |  |
|--|------|--|
| B. J. Inkson, C. B. Boothroyd and C. J. Humphreys  | 1429 | Boride morphology in a (Fe, V, B) Ti-Al alloy containing B2-phase  |
| I-Wei Chen, Shih-Yu Liu and David Jacobs   | 1439 | Effects of temperature, rate, and cyclic loading on the strength and toughness of monolithic ceramics  |
| X. J. Fan and J. P. Lei  | 1447 | Effect of the yielding scale at warm prestressing on the behaviour of crack initiation   |
| Ryoichi Monzen and T. Mori   | 1451 | Internal-stress-induced martensitic transformation of boundary $\gamma$ -Fe particles caused by boundary sliding in Cu   |
| Gohar Ayub,<br>Farid A. Khwaja,<br>A. ul Haq and Z. Ahmad                                | 1457 | Ordering behaviour of Ni-5 at.% Al alloy   |
| F. Heringhaus, D. Raabe and G. Gottstein   | 1467 | On the correlation of microstructure and electromagnetic properties of heavily cold worked Cu-20 wt% Nb wires  |
| Kouichi Honda and Yutaka Kagawa  | 1477 | Analysis of shear stress distribution in pushout process of fiber-reinforced ceramics  |
| Guen Choi  | 1489 | Cyclic fatigue crack growth in silicon nitride: influences of stress ratio and crack closure   |
| R. Takemoto and H. Mizubayashi   | 1495 | Effects of passing electric current on structural relaxation, crystallization and elastic property in amorphous Cu <sub>50</sub> Ti <sub>50</sub>                          |
| Véronique De Jonghe and Dominique Chatain  | 1505 | Experimental study of wetting hysteresis on surfaces with controlled geometrical and/or chemical defects   |
| Y. Sakai, K. Inoue and H. Maeda  | 1517 | New high-strength, high-conductivity Cu-Ag alloy sheets  |
| Y. Huang and H. W. Zhang   | 1523 | The role of metal plasticity and interfacial strength in the cracking of metal/ceramic laminates   |
| D. Raabe   | 1531 | Modelling of active slip systems, Taylor factors and grain rotations during rolling and compression deformation of polycrystalline intermetallic L1 <sub>2</sub> compounds |
| A. Garbacz, B. Ralph and K. J. Kurzydowski   | 1541 | On the possible correlation between grain size distribution and distribution of CSL boundaries in polycrystals   |
| C. P. Blankenship Jr, M. Larsen and J. A. Sutcliffe                                      | 1549 | Deformation and fracture of NiAl single crystals tested in torsion   |
| D. M. Duffy, J. H. Harding and A. M. Stoneham  | 1559 | A simulation of the NiO/Ag interface with point defects  |
| W. W. Gerberich,<br>S. K. Venkataraman,<br>H. Huang, S. E. Harvey<br>and D. L. Kohlstedt | 1569 | The injection of plasticity by millinewton contacts  |

- |  |      |   |
|--|------|---|
| S. Onaka, S. Hashimoto,<br>S. Miura and M. Kato                      | 1577 | Effect of diffusional relaxation on the shape change of liquid B <sub>2</sub> O <sub>3</sub> particles in a deforming Cu matrix               |
| Yixiong Liu,<br>Donald F. Heaney and<br>Randall M. German            | 1587 | Gravity induced solid grain packing during liquid phase sintering   |
| G. Hoinard, R. Estevez and<br>P. Franciosi                           | 1593 | Hardening anisotropy of $\gamma/\gamma'$ superalloy single crystals—I. Experimental estimates at 650°C from a homogeneous analysis            |
| Nitin P. Padture and<br>Brian R. Lawn                                | 1609 | Fatigue in ceramics with interconnecting weak interfaces: a study using cyclic Hertzian contacts  |
| M. J. Philippe, M. Serghat,<br>P. Van Houtte and C. Esling           | 1619 | Modelling of texture evolution for materials of hexagonal symmetry—II. Application to zirconium and titanium $\alpha$ or near $\alpha$ alloys |
| Joo-Youl Huh and<br>W. C. Johnson                                    | 1631 | Intrinsic thermodynamic stability of stressed coherent systems  |
| J. S. Huang and L. J. Gibson   | 1643 | Microstructural design of cellular materials—I. Honeycomb beams and plates  |
| L. D. Wegner and L. J. Gibson  | 1651 | Microstructural design of cellular materials—II. Microsandwich foams  |
| N. Sridhar, J. M. Rickman and<br>D. J. Srolovitz                     | 1669 | Thermoelastic analysis of matrix crack growth in particulate composites   |
| S. Panchanadeeswaran and<br>D. P. Field                              | 1683 | Texture evolution during plane strain deformation of aluminum   |
| Wendong Wang,<br>Sanhong Zhang<br>and Xinlai He                      | 1693 | Diffusion of boron in alloys  |
| Y.-L. Shen, M. Finot,<br>A. Needleman and S. Suresh                  | 1701 | Effective plastic response of two-phase composites  |
| I. Baker, H. Xiao, O. Klein,<br>C. Nelson and<br>J. D. Whittenberger | 1723 | The effect of temperature and Fe:Al ratio on the flow and fracture of FeAl  |

#### NUMBER 5

- |   |      |   |
|---|------|---|
| R. E. Reed-Hill and<br>M. J. Kaufman      | 1731 | On evaluating the flow stress in niobium of commercial purity                               |
| V. Randle                                 | 1741 | The influence of grain junctions and boundaries on superplastic deformation                 |
| Ch. Lang, W. Schneider and<br>H. Mughrabi | 1751 | X-ray investigations on creep-deformed single crystals of the nickel-base superalloy CMSX-4 |

- |   |      |  |
|---|------|--|
| Z. Lin and G. Bao   | 1765 | Damage in a tungsten composite due to debonding at W-W grain-boundaries  |
| S. T. Bluni, M. R. Notis and A. R. Marder                     | 1775 | Nucleation characteristics and microstructure in off-eutectic Al-Zn alloys   |
| K. Murali and N. Chandra                                      | 1783 | Micromechanical modeling of superplastic deformation   |
| J. Y. Buffiere and M. Ignat                                   | 1791 | A dislocation based criterion for the raft formation in nickel-based superalloys single crystals   |
| O. Drbohlav and A. R. Yavari                                  | 1799 | Mechanical alloying and thermal decomposition of ferromagnetic nanocrystalline f.c.c.-Cu <sub>50</sub> Fe <sub>50</sub>  |
| G. W. Greenwood   | 1811 | Grain shape effects on interface-controlled diffusional creep under multiaxial stresses  |
| B. Straumal, E. Rabkin, W. Gust and B. Predel                 | 1817 | The influence of an ordering transition on the interdiffusion in Au-Cu alloys  |
| A. J. Ardell and A. Maheshwari                                | 1825 | Coherent equilibrium in alloys containing spherical precipitates   |
| Y. Wang and A. G. Khachaturyan                                | 1837 | Shape instability during precipitate growth in coherent solids   |
| M. Li and F. Guiu   | 1859 | Subcritical fatigue crack growth in alumina—I. Effects of grain size, specimen size and loading mode   |
| M. Li and F. Guiu   | 1871 | Subcritical fatigue crack growth in alumina—II. Crack bridging and cyclic fatigue mechanisms   |
| Y.-C. Lu, S. Agnew, R. Dieckmann and S. L. Sass               | 1885 | Further characterization of the aluminum peroxide oxide, AlO <sub>2</sub> , formed by interfacial reaction between Pt and $\alpha$ -Al <sub>2</sub> O <sub>3</sub> |
| D. Bika, J. A. Pfaendtner, M. Menyhard and C. J. McMahon Jr   | 1895 | Sulfur-induced dynamic embrittlement in a low-alloy steel  |
| D. Bika and C. J. McMahon Jr                                  | 1909 | A model for dynamic embrittlement  |
| U. Messerschmidt, B. Baufeld, K. J. McClellan and A. H. Heuer | 1917 | Stress relaxation and solid solution hardening of cubic ZrO <sub>2</sub> single crystals   |
| B. Baufeld, M. Bartsch, U. Messerschmidt and D. Baither       | 1925 | Plastic deformation of cubic zirconia at temperatures between 1150 and 700°C   |
| K. Zeng and D. J. Rowcliffe                                   | 1935 | Vickers indentations in glass—I. Residual stress fields and iso-stress contour maps  |

- |  |      |  |
|--|------|--|
| K. Zeng,<br>A. E. Giannakopoulos<br>and D. J. Rowcliffe                  | 1945 | Vickers indentations in glass—II. Comparison of finite element analysis and experiments  |
| J. Kajuch, J. Short and<br>J. J. Lewandowski                             | 1955 | Deformation and fracture behavior of Nb in Nb <sub>5</sub> Si <sub>3</sub> /Nb laminates and its effect on laminate toughness  |
| P. G. McCormick<br>and C. P. Ling  | 1969 | Numerical modelling of the Portevin–Le Chatelier effect  |
| R. Jayaram and<br>M. K. Miller   | 1979 | Influence of phase composition and microstructure on the high temperature creep properties of a model single crystal nickel-base superalloy: an atom probe/AEM study |
| D. Josell, S. R. Coriell and<br>G. B. McFadden                           | 1987 | Evaluating the zero creep conditions for thin film and multilayer thin film specimens  |
| P. S. Mohanty<br>and J. E. Gruzleski                                     | 2001 | Mechanism of grain refinement in aluminium   |
| C. Atkinson, T. Akbay<br>and R. C. Reed                                  | 2013 | Theory for reaustenitisation from ferrite/cementite mixtures in Fe–C–X steels  |
| R. Feldwisch, B. Sepiol and<br>G. Vogl                                   | 2033 | Elementary diffusion jump of iron atoms in intermetallic phases studied by Mössbauer spectroscopy—II. From order to disorder   |
| D. B. Marshall, M. C. Shaw<br>and W. L. Morris                           | 2041 | The determination of interfacial properties from fiber sliding experiments: the roles of misfit anisotropy and interfacial roughness                                 |
| H. Liu, E. J. Lavernia<br>and R. H. Rangel                               | 2053 | Modeling of molten droplet impingement on a non-flat surface   |
| S. C. Hwang, C. S. Lynch<br>and R. M. McMeeking                          | 2073 | Ferroelectric/ferroelastic interactions and a polarization switching model   |
| X. Q. Xu, D. F. Watt and<br>N. Zamani                                    | 2085 | A new approach to find the stress distribution for an arbitrary shape of inhomogeneity   |
| C. L. Rohrer,<br>R. W. Hyland Jr,<br>M. E. McHenry and<br>J. M. MacLaren | 2097 | First principles calculations of Ag <sub>2</sub> Al stability and electronic properties  |
| N. Uçar, İ. Karaman<br>and B. Düzgün                                     | 2103 | Orientation and temperature dependence of slip systems in Cd single crystals   |
| A. F. Whitehouse and<br>T. W. Clyne                                      | 2107 | Critical stress criteria for interfacial cavitation in MMCs  |
| V. V. Ilyasov, S. M. Zaitsev,<br>A. T. Kozakov and<br>A. N. Pityulin     | 2115 | X-ray diffraction study of the dependence of the fine TiC structure on dispersion of hardening phase particles   |



- Y. Xu and E. M. Schulson 2121 Strength and ductility of  $\text{Ni}_3\text{Ga}$  with and without boron
- A. T. Paxton 2133 The impossibility of pseudotwinning in B2 alloys

# NUMBER 6

- Q. Ma, M. C. Shaw,  
M. Y. He, B. J. Dalgleish,  
D. R. Clarke  
and A. G. Evans 2137 Stress redistribution in ceramic/metal multilayers containing cracks
- K. B. Kim, J. Liu, N. Marasli  
and J. D. Hunt 2143 The effect of different atomic volumes in the three phases during lamellar eutectic growth. A comparison of experiment and theory in the  $\text{Al-Al}_2\text{Cu}$  system
- L. Parrini and R. Schaller 2149 Cu precipitation in  $\text{AlCu-Al}_2\text{O}_3$  metal matrix composites
- Wensheng Han and  
Yilong Bai 2157 Embryo-damage induced nucleation of microcracks in an aluminium alloy under impact loading
- N. Dey, D. F. Socie and  
K. J. Hsia 2163 Modeling static and cyclic fatigue in ceramics containing a viscous grain boundary phase
- Takayoshi Suzuki,  
Hirokazu Koizumi  
and Helmut O. K. Kirchner 2177 Plastic flow stress of b.c.c. transition metals and the Peierls potential
- E. Nes 2189 Recovery revisited
- T. Furu, R. Ørsund  
and E. Nes 2209 Subgrain growth in heavily deformed aluminium—experimental investigation and modelling treatment
- Geun-Hong Kim,  
Soo-Geun Lee,  
Ki-Young Lee,  
Chang-Hwan Chun and  
Jai-Young Lee 2233 Observation of the defects induced by hydrogen absorption and desorption in  $\text{LaNi}_5$
- J.-L. Bobet and J. Lamon 2241 Thermal residual stresses in ceramic matrix composites—I. Axisymmetrical model and finite element analysis
- J.-L. Bobet, R. Naslain,  
A. Guette, N. Ji and  
J.-L. Lebrun 2255 Thermal residual stresses in ceramic matrix composites—II. Experimental results for model materials
- C. L. Di Prinzio,  
B. J. Gonzalez Kriegel and  
O. B. Nasello 2269 Anisotropic migration of two-dimensional grain boundaries
- P. N. B. Anongba, S. Oberli  
and S. G. Steinemann 2275 A study of the brittle fracture characteristics of  $\text{CoSi}_2$  using laser beam reflections
- N. S. Mishra and  
S. Ranganathan 2287 Electron microscopy and diffraction of ordering in Ni-W alloys

- |   |      |  |
|---|------|--|
| J. Weiss and E. M. Schulson   | 2303 | The failure of fresh-water granular ice under multiaxial compressive loading   |
| V. Y. Gertsman<br>and K. Tangri   | 2317 | Computer simulation study of grain boundary and triple junction distributions in microstructures formed by multiple twinning   |
| S. G. Song and G. T. Gray III   | 2325 | Structural interpretation of the nucleation and growth of deformation twins in Zr and Ti—I. Application of the coincidence site lattice (CSL) theory to twinning problems in h.c.p. structures |
| S. G. Song and G. T. Gray III   | 2339 | Structural interpretation of the nucleation and growth of deformation twins in Zr and Ti—II. TEM study of twin morphology and defect reactions during twinning                                 |
| Erwin Pink and Janusz Król  | 2351 | Precipitation and serrated flow in AlZn10  |
| M. G. Zelin and<br>A. K. Mukherjee  | 2359 | Cooperative phenomena at grain boundaries during superplastic flow   |
| F. Saule and M. Ahlers  | 2373 | Stability, stabilization and lattice parameters in Cu–Zn–Al martensites  |
| Shiyu Pei and<br>T. B. Massalski  | 2385 | Stacking sequence changes in topologically close-packed phases   |
| Y. L. Liu, Hsun Hu and<br>N. Hansen   | 2395 | Deformation and recrystallization of a channel die compressed aluminium bicrystal with (112)[11 $\bar{1}$ ]/(123)[41 $\bar{2}$ ] orientation   |
| X. Yang and R. J. Young   | 2407 | Determination of residual strains in ceramic-fibre reinforced composites using fluorescence spectroscopy   |
| Susmit Kumar and<br>Raj N. Singh  | 2417 | Three-dimensional finite element modeling of residual thermal stresses in graphite/aluminum composites   |
| M. Jiménez-Melendo,<br>A. R. de Arellano-López,<br>A. Domínguez-Rodríguez,<br>K. C. Goretti and<br>J. L. Routbort | 2429 | Diffusion-controlled plastic deformation of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>x</sub>  |
| D. D. Double✱<br>and A. Hellawell   | 2435 | The nucleation and growth of graphite—the modification of cast iron  |
| B. S. Murty, M. Mohan Rao<br>and S. Ranganathan   | 2443 | Milling maps and amorphization during mechanical alloying  |
| E. Cingolani, M. Ahlers<br>and M. Sade  | 2451 | The two way shape memory effect in Cu–Zn–Al single crystals: role of dislocations and stabilization  |
| R. B. McLellan and L. Yang  | 2463 | Hydrogen–vacancy interactions in palladium   |

- J. Martinez-Fernandez, M. Jimenez-Melendo, A. Dominguez-Rodriguez, P. Cordier, K. P. D. Lagerlöf and A. H. Heuer 2469 High temperature precipitation hardening in  $Y_2O_3$  partially-stabilized  $ZrO_2$  (Y-PSZ) single crystals—III. Effect of solute composition and orientation on the hardening
- V. I. Tkatch, S. N. Denisenko and B. I. Selyakov 2485 Computer simulation of  $Fe_{80}B_{20}$  alloy solidification in the melt spinning process
- M. D. Thouless and W. Liniger 2493 Effects of surface and boundary diffusion on void growth
- S. C. Chang and H. C. Chen 2501 The determination of f.c.c. crystal orientation by indentation

#### NUMBER 7

#### Editorial Announcement

v

- A. G. Evans and J. W. Hutchinson 2507 Overview No. 120: The thermomechanical integrity of thin films and multilayers
- Y. A. Bahei-El-Din and G. J. Dvorak 2531 Mechanics of hot isostatic pressing of a densified unidirectional SiC/Ti composite
- T. W. Clyne and K. A. Roberts 2541 The influence of process parameters on consolidation efficiency when forming composites by spraying onto monofilaments
- D. Z. Che and J. J. Hoyt 2551 Spatial correlations during Ostwald ripening—a simplified approach
- G. I. Rosen, D. Juul Jensen, D. A. Hughes and N. Hansen 2563 Microstructure and local crystallography of cold rolled aluminium
- Hsing-Pang Chiu and J.-M. Yang 2581 Effect of fiber coating on the fracture and fatigue resistance of SCS-6/Ti<sub>3</sub>Al composites
- G. Fourlaris, A. J. Baker and G. D. Papadimitriou 2589 Microscopic characterisation of  $\epsilon$ -Cu interphase precipitation in hypereutectoid Fe-C-Cu alloys
- A. Berkovits, S. Nativ and G. Shalev 2605 Microstructural processes in high temperature low cycle fatigue of MAR-M200 + Hf
- Y. Song, G. Bao and C. Y. Hui 2615 On creep of unidirectional fiber composites with fiber damage
- M. L. Weaver and M. J. Kaufman 2625 Phase relationships and transformations in the ternary aluminum-titanium-tantalum system
- K. Lu, Z. F. Dong, I. Bakonyi and Á. Cziráki 2641 Thermal stability and grain growth of a melt-spun HfNi<sub>5</sub> nanophase alloy

- |   |      |  |
|---|------|--|
| J. L. de Mol van Otterloo,<br>D. Bagnoli and<br>J. Th. M. De Hosson       | 2649 | Enhanced mechanical properties of laser treated Al-Cu alloys: a microstructural analysis   |
| J. A. Grape and V. Gupta  | 2657 | Failure mechanisms in laminated carbon/carbon composites under biaxial compression   |
| J. Pietikäinen  | 2667 | The synthetic isothermal martensitic transformation in high carbon Fe-Ni-C steel   |
| I. Andersen and Ø. Grong  | 2673 | Analytical modelling of grain growth in metals and alloys in the presence of growing and dissolving precipitates—I. Normal grain growth    |
| I. Andersen, Ø. Grong and<br>N. Ryum                                      | 2689 | Analytical modelling of grain growth in metals and alloys in the presence of growing and dissolving precipitates—II. Abnormal grain growth |
| R. Becker and<br>S. Panchanadeeswaran                                     | 2701 | Effects of grain interactions on deformation and local texture in polycrystals   |
| T. Hong, J. R. Smith and<br>D. J. Srolovitz                               | 2721 | Theory of metal-ceramic adhesion   |
| Osamu Ito and Hideki Tamaki   | 2731 | Molecular orbital approach to the chemical bonding at grain boundary in $\gamma'$ -Ni <sub>3</sub> Al                                      |
| R. Bullough and L. C. Davis   | 2737 | The residual deformation fields in particle reinforced metal-matrix composites   |
| K. X. Hu, Y. Huang and<br>A. Chandra                                      | 2743 | Bridge toughening in fiber-reinforced composites: a three-dimensional, discrete fiber model  |
| F. Beclin, R. Duclos,<br>J. Crampon and F. Valin                          | 2753 | Microstructural superplastic deformation in MgO · Al <sub>2</sub> O <sub>3</sub> spinel  |
| R. W. Hayes and P. L. Martin  | 2761 | Tension creep of wrought single phase $\gamma$ TiAl  |
| J. Warren, L. M. Hsiung and<br>H. N. G. Wadley                            | 2773 | High temperature deformation behavior of physical vapor deposited Ti-6Al-4V  |
| H. Kessler, M. Herrmann and<br>W. Pompe                                   | 2789 | The effect of transformation stresses on the devitrification kinetics of a minority phase in liquid phase sintered ceramics                |
| P. Hähner and H. Stamm  | 2797 | A dislocation dynamical theory of the ductile-to-brittle transition  |
| H. Numakura, N. Okamoto,<br>K. Moriya and M. Koiwa                        | 2807 | Mechanical relaxation due to hydrogen-solute complexes in dilute Ni-Ti-H alloys  |
| Pieter Tuinstra,<br>Peter A. Duine, Jilt Sietsma<br>and A. van den Beukel | 2815 | The calorimetric glass transition of amorphous Pd <sub>40</sub> Ni <sub>40</sub> P <sub>20</sub>   |

- |   |      |   |
|---|------|---|
| D. G. Morris, R. Lerf and<br>M. Leboeuf         | 2825 | The influence of alloying modifications on mechanical properties, phase stability, and fault energies in cubic titanium trialuminide-based alloys |
| R. Goswami and<br>K. Chattopadhyay              | 2837 | The superheating and the crystallography of embedded Pb particles in f.c.c. Al, Cu and Ni matrices  |
| M. V. Glazov and C. Laird                       | 2849 | Size effects of dislocation patterning in fatigued metals   |
| P. Van Houtte                                   | 2859 | Heterogeneity of plastic strain around an ellipsoidal inclusion in an ideal plastic matrix  |
| Ping Liu, A. H. Stigenberg and<br>J.-O. Nilsson | 2881 | Quasicrystalline and crystalline precipitation during isothermal tempering in a 12Cr-9Ni-4Mo maraging stainless steel                             |

#### NUMBER 8

- |  |      |  |
|--|------|--|
| L. X. Liu and J. S. Kirkaldy   | 2891 | Overview No. 121: Thin film forced velocity cells and cellular dendrites—I. Experiments  |
| J. S. Kirkaldy, L. X. Liu<br>and A. Kroupa                               | 2905 | Overview No. 121: Thin film forced velocity cells and cellular dendrites—II. Analysis of data                                      |
| Duan-Jen Wang<br>and Shinn-Tyan Wu                                       | 2917 | The wettability of copper-containing aluminum melt on sapphire   |
| P. Fratzl and O. Penrose   | 2921 | Ising model for phase separation in alloys with anisotropic elastic interaction—I. Theory  |
| G. Henaff, K. Marchal<br>and J. Petit                                    | 2931 | On fatigue crack propagation enhancement by a gaseous atmosphere: experimental and theoretical aspects                             |
| P. M. Moran, X. H. Liu<br>and C. F. Shih                                 | 2943 | Kink band formation and band broadening in fiber composites under compressive loading  |
| V. Kilikoglou, G. Vekinis<br>and Y. Maniatis                             | 2959 | Toughening of ceramic earthenwares by quartz inclusions: an ancient art revisited  |
| N. Komai, M. Watanabe<br>and Z. Horita                                   | 2967 | Interdiffusivity measurements and interface observations using Ni/Ni <sub>3</sub> Ge diffusion couples                             |
| M. Ibnabdeljalil and<br>S. L. Phoenix                                    | 2975 | Scalings in the statistical failure of brittle matrix composites with discontinuous fibers—I. Analysis and Monte Carlo simulations |
| S. Saroja, P. Parameswaran,<br>M. Vijayalakshmi and<br>V. S. Raghunathan | 2985 | Prediction of microstructural states in Cr-Mo steels using phase evolution diagrams  |
| N. A. Fleck and P. M. Jelf   | 3001 | Deformation and failure of a carbon fibre composite under combined shear and transverse loading                                    |

- |   |      |  |
|---|------|--|
| W. H. Zou, H. Y. Peng,<br>R. Wang, J. Gui and<br>D. Z. Yang                                     | 3009 | Heating effects on fine structure of a Cu-Al-Ni-Mn-Ti shape memory alloy   |
| H. P. Karnthaler, S. Kong,<br>B. Mingler, R. Stickler<br>and B. Weiss                           | 3017 | Effect of the loading ramp length on the evolution of surface and dislocation structures in cyclically deformed polycrystalline copper |
| D. M. Doyle, G. Palumbo,<br>K. T. Aust, A. M. El-Sherik<br>and U. Erb                           | 3027 | The influence of intercrystalline defects on hydrogen activity and transport in nickel   |
| S. Nourbakhsh, O. Sahin<br>and H. Margolin  | 3035 | A structural study of oxidation in an Al <sub>2</sub> O <sub>3</sub> fiber reinforced titanium aluminide composite                     |
| R. Pitchumani, P. K. Liaw,<br>S. C. Yao, D. K. Hsu<br>and H. Jeong                              | 3045 | Theoretical models for the anisotropic conductivities of two-phase and three-phase metal-matrix composites                             |
| A. C. Ferro and B. Derby  | 3061 | Wetting behaviour in the Al-Si/SiC system: interface reactions and solubility effects  |
| E. Rabkin, B. Straumal,<br>V. Semenov, W. Gust<br>and B. Predel                                 | 3075 | The influence of an ordering transition on the interdiffusion in Fe-Si alloys  |
| T. S. Rong, I. P. Jones<br>and R. E. Smallman   | 3085 | A TEM study of $\langle 110 \rangle \{001\}$ slip in crept polycrystalline Ni <sub>3</sub> Al  |
| S. J. Zhou and W. A. Curtin   | 3093 | Failure of fiber composites: a lattice Green function model  |
| S. M. Pickard, D. B. Miracle,<br>B. S. Majumdar,<br>K. L. Kendig, L. Rothenflue<br>and D. Coker | 3105 | An experimental study of residual fiber strains in Ti-15-3 continuous fiber composites   |
| C. Y. Ma, E. Rabkin,<br>W. Gust and S. E. Hsu   | 3113 | On the kinetic behavior and driving force of diffusion induced grain boundary migration  |
| M. Blicharski, J. Liu<br>and Hsun Hu*   | 3125 | Annealing of aluminum bicrystals with S orientations deformed by channel die compression   |
| S. M. Kim, M. Kogachi,<br>A. Kameyama and<br>D. G. Morris                                       | 3139 | Atomic ordering and lattice site location in cubic Al <sub>3</sub> Ti-based alloys   |
| A. Mézin  | 3151 | Aspects statistiques de la multifissuration unidirectionnelle des revêtements  |
| S. R. Skjervold<br>and N. Ryum  | 3159 | Characterization of local texture in a moderately deformed polycrystalline AlSi-alloy  |
| N. A. Fleck   | 3177 | A crystal plasticity view of powder compaction   |



- |  |      |  |
|--|------|--|
| Joo-Hwan Han and<br>Doh-Yeon Kim       | 3185 | Analysis of the proportionality constant correlating the mean intercept length to the average grain size |
| Yoshitaka Adachi<br>and Kazuhito Kamei | 3189 | TEM study of diffusional $\alpha$ -Fe/Zn interface (nano-scale-characterization of galvanized steel)     |
| G. L. Povirk                           | 3199 | Incorporation of microstructural information into models of two-phase materials                          |
| S. Annavarapu and<br>R. D. Doherty     | 3207 | Inhibited coarsening of solid-liquid microstructures in spray casting at high volume fractions of solid  |
| C. R. Ho and B. Cantor                 | 3231 | Heterogeneous nucleation of solidification of Si in Al-Si and Al-Si-P alloys                             |

# I Erratum

## NUMBER 9

### v 1995 *Acta Metallurgica* Gold Medal

- |  |      |  |
|--|------|--|
| M. Biburger and J. C. Gibeling                                       | 3247 | Overview No. 122: Analysis of creep transients in pure metals following stress changes   |
| D. Sherman, J. Lemaitre<br>and F. A. Leckie                          | 3261 | The effect of geometry on the properties of a dense alumina-carbon/epoxy laminate  |
| K. Higashi, T. G. Nieh<br>and J. Wadsworth                           | 3275 | Effect of temperature on the mechanical properties of mechanically-alloyed materials at high strain rates                                |
| Y.-C. Lu and S. L. Sass  | 3283 | Deformation processes in the vicinity of metal-ceramic interfaces  |
| J. Jockweg and E. Nembach  | 3295 | Anisotropy of the critical resolved shear stress of a superalloy containing 6 vol.% L1 <sub>2</sub> -ordered $\gamma'$ -precipitates     |
| Jincheng Liu and R. Elliott  | 3301 | Selfconsistent solutions for lamellar eutectic growth  |
| Sun Ig Hong, M. A. Hill,<br>Y. Sakai, J. T. Wood<br>and J. D. Embury | 3313 | On the stability of cold drawn, two-phase wires  |
| K. Lu and M. L. Sui  | 3325 | Thermal expansion behaviors in nanocrystalline materials with a wide grain size range  |
| R. S. Hay  | 3333 | The use of solid-state reactions with volume loss to engineer stress and porosity into the fiber-matrix interface of a ceramic composite |
| Zhonghao Jiang,<br>Jianshe Lian<br>and B. Baudelet                   | 3349 | A dislocation density approximation for the flow stress-grain size relation of polycrystals  |

- |  |      |   |
|--|------|---|
| A. Burr, J. Y. Yang,<br>C. G. Levi and F. A. Leckie  | 3361 | The strength of metal-matrix composite joints   |
| Huang Xiaoxu,<br>K. Tsuzaki and T. Maki  | 3375 | Subgrain growth and misorientation of the $\alpha$ matrix in an ( $\alpha + \gamma$ ) microduplex stainless steel   |
| M. K. Miller, J. M. Hyde,<br>M. G. Hetherington,<br>A. Cerezo, G. D. W. Smith<br>and C. M. Elliott | 3385 | Spinodal decomposition in Fe-Cr alloys: experimental study at the atomic level and comparison with computer models—I. Introduction and methodology                              |
| J. M. Hyde, M. K. Miller,<br>M. G. Hetherington,<br>A. Cerezo, G. D. W. Smith<br>and C. M. Elliott | 3403 | Spinodal decomposition in Fe-Cr alloys: experimental study at the atomic level and comparison with computer models—II. Development of domain size and composition amplitude     |
| J. M. Hyde, M. K. Miller,<br>M. G. Hetherington,<br>A. Cerezo, G. D. W. Smith<br>and C. M. Elliott | 3415 | Spinodal decomposition in Fe-Cr alloys: experimental study at the atomic level and comparison with computer models—III. Development of morphology                               |
| A. D. Sequeira,<br>H. A. Calderon,<br>G. Kosterz and<br>J. S. Pedersen                             | 3427 | Bimodal size distributions of $\gamma'$ precipitates in Ni-Al-Mo—I. Small-angle neutron scattering  |
| A. D. Sequeira,<br>H. A. Calderon,<br>G. Kosterz and<br>J. S. Pedersen                             | 3441 | Bimodal size distributions of $\gamma'$ precipitates in Ni-Al-Mo—II. Transmission electron microscopy   |
| M. Y. He, M. R. Turner<br>and A. G. Evans  | 3453 | Analysis of the double cleavage drilled compression specimen for interface fracture energy measurements over a range of mode mixities   |
| M. R. Turner,<br>B. J. Dalgleish, M. Y. He<br>and A. G. Evans                                      | 3459 | A fracture resistance measurement method for bimaterial interfaces having large debond energy   |
| R. Busch, F. Gärtner,<br>C. Borchers, P. Haasen<br>and R. Bormann                                  | 3467 | Microstructure development during rapid solidification of highly supersaturated Cu-Co alloys  |
| P. Gilgien, A. Zryd and<br>W. Kurz   | 3477 | Microstructure selection maps for Al-Fe alloys  |
| S. Long, Z. Zhang and<br>H. M. Flower  | 3489 | Characterization of liquid metal infiltration of a chopped fibre preform aided by external pressure—I. Visualization of the flow behaviour of aluminium melt in a fibre preform |
| S. Long, Z. Zhang and<br>H. M. Flower  | 3499 | Characterization of liquid metal infiltration of a chopped fibre preform aided by external pressure—II. Modelling of liquid metal infiltration process                          |

- |   |      |  |
|---|------|--|
| J. Xu, B. N. Cox,<br>M. A. McGlockton<br>and W. C. Carter | 3511 | A binary model of textile composites—II. The elastic regime  |
| M. Scherge, C. L. Bauer<br>and W. W. Mullins              | 3525 | Stress distribution and mass transport along grain boundaries during steady-state electromigration     |
| Alok Singh and<br>S. Ranganathan                          | 3539 | A transmission electron microscopic study of icosahedral twins—I. Rapidly solidified Al-Mn-Fe alloys   |
| Alok Singh and<br>S. Ranganathan                          | 3553 | A transmission electron microscopic study of icosahedral twins—II. A rapidly solidified Al-Cu-Fe alloy |
| C. Hu and T. N. Baker                                     | 3563 | Prediction of laser transformation hardening depth using a line source model                           |
| Qing Liu, Wangyue Yang<br>and Guoliang Chen               | 3571 | On superplasticity of two phase $\alpha$ -titanium—intermetallic Ti-(Co,Ni)-Al alloys                  |
| S. Nebti, D. Hamana<br>and G. Cizeron                     | 3583 | Calorimetric study of pre-precipitation and precipitation in Al-Mg alloy                               |

#### NUMBER 10

#### v *Acta Metallurgica* J. Herbert Hollomon Award

- |  |      |  |
|--|------|--|
| M. Jiménez-Melendo,<br>A. Domínguez-Rodríguez<br>and J. Castaing             | 3589 | Overview No. 123: Point defect concentration relaxation and creep transients in binary oxides                |
| J. Warren, D. M. Elzey<br>and H. N. G. Wadley                                | 3605 | Fiber damage during the consolidation of PVD Ti-6Al-4V coated NEXTEL 610™ alumina fibers                     |
| R. W. Smith, R. Najafabadi<br>and D. J. Srolovitz                            | 3621 | Segregation to an $(A_0/2)[1\bar{1}0]$ edge dislocation in $\text{Cu}_{0.1}\text{Ni}_{0.9}$                  |
| C. Y. Barlow and N. Hansen   | 3633 | Dislocation configurations in metal-matrix composites correlated with numerical predictions                  |
| A. Pajares, F. Guiberteau,<br>R. W. Steinbrech and<br>A. Dominguez-Rodriguez | 3649 | Residual stresses around Vickers indents   |
| E. M. Schulson and S. E. Buck  | 3661 | The ductile-to-brittle transition and ductile failure envelopes of orthotropic ice under biaxial compression |
| S. Farenc, D. Caillard and<br>A. Couret                                      | 3669 | A new model for the peak of activation area of $\alpha$ titanium   |
| G. Schoeck   | 3679 | The core energy of dislocations  |

- C. A. Lewis and P. J. Withers 3685 Weibull modelling of particle cracking in metal matrix composites
- D. M. Tan, E. K. Tschegg, 3701 Cracks at mortar-stone interfaces  
H. Rotter and  
H. O. K. Kirchner
- J. Crépin, T. Bretheau and 3709 Plastic deformation mechanisms of  $\beta$  treated zirconium  
D. Caldemaison
- R. B. McLellan 3721 The thermodynamics of vacancy formation in f.c.c. metals  
and Y. C. Angel
- Xing-Gang Jiang, 3727 Hydrogen induced void nucleation of 310 stainless steel  
Wu-Yang Chu and  
Ji-Mei Xiao
- G. Fourlaris, A. J. Baker 3733 A microscopic investigation of the precipitation  
and G. D. Papadimitriou phenomena observed during the pearlite reaction in  
vanadium alloyed carbon steels
- A. A. Mammoli and 3743 Effects of reinforcement geometry on the elastic and plastic  
M. B. Bush behaviour of metal matrix composites
- L. Liu, F. Padella, W. Guo 3755 Solid state reactions induced by mechanical alloying in  
and M. Magini metal-silicon (metal = Mo, Nb) systems
- G. R. Purdy and 3763 A solute drag treatment of the effects of alloying elements  
Y. J. M. Brechet on the rate of the proeutectoid ferrite transformation in  
steels
- Y. Q. Sun 3775 Stability of APB-dissociated  $\langle 111 \rangle$  screw superdislocations  
in B2-ordered structures
- R. C. Picu and V. Gupta 3783 Crack nucleation in columnar ice due to elastic anisotropy  
and grain boundary sliding
- R. C. Picu and V. Gupta 3791 Observations of crack nucleation in columnar ice due to  
grain boundary sliding
- P. Wagner, O. Engler and 3799 Formation of Cu-type shear bands and their influence on  
K. Lücke deformation and texture of rolled f.c.c.  $\{112\}\langle 111 \rangle$  single  
crystals
- T. Zhai, J. W. Martin and 3813 Fatigue damage in aluminium single crystals—I. On the  
G. A. D. Briggs surface containing the slip Burgers vector
- D. R. Lesuer, C. K. Syn 3827 Fracture behavior of spheroidized hypereutectoid steels  
and O. D. Sherby
- Jian-Sheng Wang and 3837 Directional dependence of corrosion fatigue of iron-silicon  
Sinisa Dj. Mesarovic bicrystals

- |                                      |      |  |
|--------------------------------------|------|--|
| Ge Yu                                | 3851 | Trapping of point defects in real alloys by considering the effect of short range order                                |
| R. K. Ray                            | 3861 | Rolling textures of pure nickel, nickel-iron and nickel-cobalt alloys  |
| N. D. Aparicio and<br>A. C. F. Cocks | 3873 | On the representation of random packings of spheres for sintering simulations  |
| L. Anthony and B. Fultz              | 3885 | Effects of early transition metal solutes on the D0 <sub>3</sub> -B2 critical temperature of Fe <sub>3</sub> Al        |
| Li Jian and C. M. Wayman             | 3893 | Electron back scattering study of domain structure in monoclinic phase of a rare-earth orthoniobate LaNbO <sub>4</sub> |
| C. R. Bowen and B. Derby             | 3903 | Finite-difference modelling of self-propagating high-temperature synthesis of materials                                |

#### NUMBER 11

- |   |      |   |
|---|------|---|
| Y.-L. Shen and S. Suresh  | 3915 | Thermal cycling and stress relaxation response of Si-Al and Si-Al-SiO <sub>2</sub> layered thin films |
| M. R. Begley, B. N. Cox<br>and R. M. McMeeking                  | 3927 | Time dependent crack growth in ceramic matrix composites with creeping fibers                         |
| D. B. Sabljic and<br>D. S. Wilkinson                            | 3937 | Influence of a damage zone on high temperature crack growth in brittle materials                      |
| K. Milička, F. Dobeš,<br>J. Slaměniková and<br>A. Orlová        | 3947 | Constitutive description of creep curves based on internal stress evolution                           |
| J. Llorca and P. Poza   | 3959 | Influence of reinforcement fracture on the cyclic stress-strain curve of metal-matrix composites      |
| B. P. Kashyap<br>and K. Tangri                                  | 3971 | On the Hall-Petch relationship and substructural evolution in Type 316L stainless steel               |
| C. Schlesier and E. Nembach                                     | 3983 | Strengthening of aluminium-lithium alloys by long-range ordered $\delta'$ -precipitates               |
| O. Jørgensen, A. Horsewell,<br>B. F. Sørensen and<br>P. Leisner | 3991 | The cracking and spalling of multilayered chromium coatings   |
| L. Qiao and X. Mao  | 4001 | Thermodynamic analysis on the role of hydrogen in anodic stress corrosion cracking                    |
| S. Walder and P. L. Ryder                                       | 4007 | Rapid dendritic growth in undercooled Ag-Cu melts   |
| Yifan Zhang, Dongming Zhu<br>and D. A. Shores                   | 4015 | Effect of yttrium on the oxidation behavior of cast Ni-30Cr alloy                                     |

- |   |      |   |
|---|------|---|
| E. Herve, R. Dendievel and G. Bonnet            | 4027 | Steady-state power-law creep in "inclusion matrix" composite materials  |
| M. B. Henderson and J. W. Martin                | 4035 | Influence of precipitate morphology on the high temperature fatigue properties of SRR99   |
| D. Schryvers, Ying Ma, Lajos Toth and L. Tanner | 4045 | Electron microscopy study of the formation of $\text{Ni}_5\text{Al}_3$ in a $\text{Ni}_{62.5}\text{Al}_{37.5}$ B2 alloy—I. Precipitation and growth |
| D. Schryvers, Ying Ma, Lajos Toth and L. Tanner | 4057 | Electron microscopy study of the formation of $\text{Ni}_5\text{Al}_3$ in a $\text{Ni}_{62.5}\text{Al}_{37.5}$ B2 alloy—II. Plate crystallography   |
| A. I. Barg, E. Rabkin and W. Gust               | 4067 | Faceting transformation and energy of a $\Sigma 3$ grain boundary in silver   |
| U. Hangen and D. Raabe                          | 4075 | Modelling of the yield strength of a heavily wire drawn Cu-20%Nb composite by use of a modified linear rule of mixtures                             |
| A. Mukherjee, S. Schmauder and M. Rühle         | 4083 | Artificial neural networks for the prediction of mechanical behavior of metal matrix composites   |
| P. Hähner                                       | 4093 | A generalized criterion of plastic instabilities and its application to creep damage and superplastic flow  |
| J. C. Rawers and D. Maurice                     | 4101 | Understanding mechanical infusion of nitrogen into iron powders   |
| Kai-Tak Wan and Yiu-Wing Mai                    | 4109 | Fracture mechanics of a new blister test with stable crack growth   |
| D. Juul Jensen                                  | 4117 | Growth rates and misorientation relationships between growing nuclei/grains and the surrounding deformed matrix during recrystallization            |
| T. Troczynski                                   | 4131 | Stochastic model of an R-curve due to crack bridging  |
| K. Yoshimi, S. Hanada and M. H. Yoo             | 4141 | Yielding and plastic flow behavior of B2-type Fe-39.5 mol.% Al single crystals in compression   |
| J. A. Wert, Q. Liu and N. Hansen                | 4153 | Dislocation boundaries and active slip systems  |
| J. Lian, R. Z. Valiev and B. Baudelet           | 4165 | On the enhanced grain growth in ultrafine grained metals  |
| J. G. Zhu, C. J. Palmstrøm and C. B. Carter     | 4171 | Misfit dislocations at ErAs/GaAs heterojunctions  |
| Ching-Hua Huang and J. K. Shang                 | 4179 | Shear-driven high-temperature fatigue crack growth in polycrystalline alumina   |
| T. E. Buchheit, S. L. Kumpf and J. A. Wert      | 4189 | Modeling the stress-induced transformation behavior of shape memory alloy single crystals   |



- M. Grujicic and W. S. Owen 4201 Models of short-range order in a face-centered cubic Fe-Ni-Cr alloy with a high concentration of nitrogen

# NUMBER 12

- C. Jourdan, J. Gastaldi, V. Roques, G. Grange, S. Belkahla and G. Guénin 4213 *In situ* study of the self-accommodating process during the martensitic transformation of a Cu-Zn-Al single crystal by synchrotron X-ray topography—I. Crystallographic study
- C. Jourdan, J. Gastaldi, G. Grange, S. Belkahla and G. Guénin 4227 *In situ* study of the self-accommodating process during the martensitic transformation of a Cu-Zn-Al single crystal by synchrotron X-ray topography—II. Dynamics of the process and role of crystalline defects
- M. S. Dadkhah, B. N. Cox and W. L. Morris 4235 Compression-compression fatigue of 3D woven composites
- P.-M. Lesne, N. Allio and R. Valle 4247 Combined effects of the fibre distribution and of the fibre matrix or interphase matrix transverse modulus ratio on the possible fracture modes of unidirectional composites submitted to a transverse loading
- L. Shaw, D. Miracle and R. Abbaschian 4267 Microstructure and mechanical properties of metal/oxide and metal/silicide interfaces
- G. González-Doncel, P. Adeva, M. C. Cristina and J. Ibáñez 4281 Lüders bands formation in a rapidly solidified Ni<sub>3</sub>Al alloy ribbon
- F. Y. Génin 4289 The initial stages of the formation of holes and hillocks in thin films under equal biaxial stress
- J. Y. Shu, J. A. Blume and C. F. Shih 4301 Fracture toughness of niobium/alumina interfaces: an analysis based on a micromechanical model
- W. C. Carter, A. R. Roosen, J. W. Cahn and J. E. Taylor 4309 Shape evolution by surface diffusion and surface attachment limited kinetics on completely faceted surfaces
- K. S. Chan 4325 A fracture model for hydride-induced embrittlement
- B. Johansson and S. L. Ogin 4337 Internal stresses in planar random fibre aluminium composites—I. Tensile tests and cyclic Bauschinger experiments at room temperature and 77 K
- B. Johansson and S. L. Ogin 4349 Internal stresses in planar random fibre aluminium composites—II. Mean stress hardening and relaxation
- G. Pezzotti, K. Ota, H.-J. Kleebe, Y. Okamoto and T. Nishida 4357 Viscous behavior of interfaces in fluorine-doped Si<sub>3</sub>N<sub>4</sub>/SiC composites
- Q.-Z. Chen, W.-Y. Chu, Y.-B. Wang and C.-M. Hsiao 4371 *In situ* TEM observations of nucleation and bluntness of nanocracks in thin crystals of 310 stainless steel

- |  |      |   |
|--|------|---|
| W. Zhang and J. H. Schneibel                               | 4377 | The sintering of two particles by surface and grain boundary diffusion—a two-dimensional numerical study  |
| R. Sasikumar and M. Kumar                                  | 4387 | The strength of the coupling between macroscopic heat flow and equiaxed grain formation in castings   |
| N. P. Kushnareva,<br>S. E. Snejko<br>and I. P. Yarosh      | 4393 | Internal friction in Nb-V-O alloys  |
| Jianhong He, X. Y. Tang,<br>S. Fukuyama and<br>K. Yokogawa | 4403 | Boundary in $\gamma''$ precipitates in Inconel 718 nickel-base superalloy   |
| I. T. H. Chang and B. Cantor                               | 4411 | Temperature, composition and microstructure variations during pulsed laser irradiation of a deposited film on a substrate                             |
| G. Fourlaris, A. J. Baker<br>and G. D. Papadimitriou       | 4421 | A microscopic examination of the precipitation phenomena occurring during the isothermal pearlitic transformation in high carbon-copper nickel steels |
| R. V. Ramanujan  | 4439 | The effect of heat treatment variables on the phase transformations at 1420°C in Ti-48Al and Ti-48Al-2Mn-2Nb alloys                                   |
| S. Yadav, D. R. Chichili and<br>K. T. Ramesh               | 4453 | The mechanical response of a 6061-T6 Al/Al <sub>2</sub> O <sub>3</sub> metal matrix composite at high rates of deformation                            |
| A. Serra and D. J. Bacon                                   | 4465 | Computer simulation of screw dislocation interactions with twin boundaries in h.c.p. metals   |
| D. Sherman, J. Lemaitre<br>and F. A. Leckie                | 4483 | The mechanical behavior of an alumina carbon/epoxy laminate   |
| I. S. Suh and J. K. Park                                   | 4495 | The shape and orientation of the minimum strain energy of coherent ellipsoidal precipitate in an anisotropic cubic material                           |

